



Hearth Capacity	
200mm pizzas	8
250mm pizzas	6
300mm pizzas	5
400mm pizzas	2

Assuming 5-minute cook times, the approximate maximum hourly production capacity can be calculated by multiplying the above numbers by 12.

The Wood Stone Bistro

The Bistro 4343 features a standard door opening 610 mm wide x 250 mm high. The cooking surface is 865 mm wide, and 790 mm deep, resulting in 0.68 square meters of usable deck space.

The dense, high temperature ceramic formulation of which the 205 Kg, monolithic, cast-ceramic floor and the 260 Kg, monolithic dome are cast creates a "deep heat sink" within the chamber of the oven. The hearth and dome are connected by a carefully tensioned stainless steel exoskeleton, which ensures structural integrity and long life. The oven sits on a heavy-duty frame. A stainless steel storage compartment is optional and can be provided in the support frame.

The ceramic interior is heated by a powerful, adjustable radiant burner located in the back of the oven chamber. The burner is controlled exclusively by the chef, the heat distribution in the oven can be adjusted to meet the needs of a variety of menu items. The Bistro can be configured to burn either Natural Gas (methane) or Propane - gas type should be specified at time of order.

For ease of installation, the oven can be turned on its back to fit through 760 mm openings.

The Bistro should be vented using an approved chimney, or an exhaust hood constructed and installed in accordance with all relevant local and national codes.

Optional Accessories

- **Stainless Steel Oven Tool Set (with stainless steel hangers)**
- **Stack-Mounted Exhaust Fan**
- **Custom Oven-Mounted Exhaust Hood**
- **Exhaust Collector for Direct Flue connection**
- **Wood Stone also manufactures a full line of accessories for stone-hearth cooking**

NATURAL GAS (METHANE)

I_{2H(20)} for use in AT, DK, ES, FI, IE, IT, PT, GB, SE, CH

I_{2E(25)} for use in DE

I_{2L(25)} for use in NL

PROPANE and PROPANE BLENDS

I₃₊ (28-30/37/50) for use in BE, ES, FR, IE, IT, PT, GB, CH

I_{3B/P} (28-30/37/50) for use in SE, CH, AT, DK, FI, DE, NL, NO, FR

I_{3P} (30/37/50) for use in DE, ES, FR, IE, NL, PT, GB, CH



Wood Stone

1801 W. Bakerview Rd. Corporation
Bellingham, WA 98226

Toll Free (800) 988-8103

Tel (360) 650-1111




Fax (360) 650-1166

Bistro CE

Stone Hearth
Baking and Roasting Oven

Model

WS-BL-4343-CE



Utility Specifications

3/4 inch B.P.T gas inlet (female threaded)

NATURAL GAS (METHANE)

I_{2H(20)} for use in AT, DK, ES, FI, IE, IT, PT, GB, SE, CH

I_{2E(25)} for use in DE

I_{2L(25)} for use in NL

PROPANE and PROPANE BLENDS

I₃₊ (28-30/37/50) for use in BE, ES, FR, IE, IT, PT, GB, CH

I_{3B/P} (28-30/37/50) for use in SE, CH, AT, DK, FI, DE, NL, NO, FR

I_{3P} (30/37/50) for use in DE, ES, FR, IE, NL, PT, GB, CH

Electrical

230VAC , 0.42 amp, 50 Hz

Actual Weight 750 Kg
Shipping Weight: 930 Kg

CE
0359

An ongoing program of product improvement may require us to change specifications without notice.

Revised July 2003

Call Us 1-360-650-1111 or visit www.woodstone-corp.com