

### Using a Forklift

Please see the chart below to be sure that you are using a forklift rated for your oven size.

The oven stand is equipped with fork pockets near the bottom of the base of the stand. Use extreme caution and make sure that the forks extend all the way through the pockets provided when lifting from the front side of the oven (see Figure 1).



**Figure 1**



**Figure 2a**



**Figure 2b**

<b>Model #</b>	<b>Oven</b>	<b>Approx. Weight</b>	<b>Req'd Forklift</b>
<b>WS-FD-6045</b>	<b>Fire Deck 6045</b>	<b>3,200 lbs.</b>	<b>6,000 lbs.</b>
<b>WS-FD-8645</b>	<b>Fire Deck 8645</b>	<b>4,350 lbs.</b>	<b>6,000 lbs.</b>
<b>WS-FD-9660</b>	<b>Fire Deck 9660</b>	<b>6,000 lbs.</b>	<b>9,000 lbs.</b>
<b>WS-FD-9690</b>	<b>Fire Deck 9690</b>	<b>10,000 lbs.</b>	<b>20,000 lbs.</b>

### Using a Pallet Jack to Move a Fire Deck Oven

Once the Fire Deck oven has been removed from the delivery vehicle, it can easily be moved on flat surfaces using a pallet jack. The pallet jack can only be used from the front or rear of the Fire Deck oven.



**THE OVEN IS VERY TOP-HEAVY, MOVING THE OVEN UP OR DOWN A RAMP ON A PALLET JACK IS NOT SAFE!**

### Using optional Temporary Casters (Fire Deck Ovens only)

Remove the shipping steel before installing temporary casters.


With the Fire Deck oven supported by a forklift or pallet jack, slide and secure the caster assemblies into the end forklift pockets. Once the oven is in place, support the unit using a pallet jack and remove the caster and its support. Be sure to seal the side and front forklift pockets using the covers provided.



**Optional: Using a Crane**

The oven arrives with lifting eyes attached. When craning a Fire Deck oven, use a spreader bar with a two-legged sling rigged on each end.

The spreader bar should be of a sufficient length to keep the sling from contacting the oven.



**Crane can be used only with flat-bed truck deliveries.**

---

Moving a Wood Stone oven can present interesting challenges to even the most experienced riggers. Take your time, use your head, secure the proper equipment and make safety your first priority. Please don't hesitate to call the factory for technical support (1-800-988-8103).

**DO NOT TURN THE OVEN ON ITS SIDE!**

**DELIVERY NOTE:**

The customer will receive an Oven Shipping Notification when the oven leaves the Wood Stone factory. This will include a PRO# and a trucking company contact number. Wood Stone recommends that you confirm the delivery date/time with the trucking company before committing to heavy equipment and/or labor. Our goal is smooth and safe delivery. Thank you.